Jutge.org

The Virtual Learning Environment for Computer Programming

Javelin

Several friends are participating in a javelin competition. Each participant gets 6 attempts, and for each attempt the distance of the javelin throw is measured. The final score of each participant equals the distance of the longest attempt. An invalid attempt results in a distance of 0.

Input

The input starts with an integer N, the number of participants. On each of the following N lines is the name of a participant (as a single word) and the result of this participant's six attempts. The result of each attempt is a real number with two decimal places (representing the distance of the throw in meters and centimeters), or 0 if the attempt was invalid.

Output

For each participant, output their final score on a separate line on the following format, where X is the name:

X: YY.YY

Hint: Use "std::setprecision" in the <iomanip> library to print a fixed number of decimal places:

std::cout << std::setprecision(2) << std::fixed << result;</pre>

Sample input

4 J John 62.39 0 45.23 0 65.14 68.99 E Emily 67.12 60.02 0 55.78 66.41 0 R Richard 58.12 55.17 59.92 0 52.92 56.55 J Jennie 59.12 0 0 0 55.12 60.01

Sample output

John: 68.99 Emily: 67.12 Richard: 59.92 Jennie: 60.01

Problem information

Author : Anders Jonsson Generation : 2018-04-04 11:09:59

© *Jutge.org*, 2006–2018. https://jutge.org